Dial∘g DataStar

| options | logoff | feedback | help |

databases   easy search

Advanced Search:
Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	start ADJ transaction	unrestricted	0	-
2	INZZ	starttransaction	unrestricted	0	-
3	INZZ	nested ADJ transaction$	unrestricted	117	show titles
4	INZZ	flat ADJ transaction	unrestricted	4	show titles
5	INZZ	3 AND 4	unrestricted	2	show titles
6	INZZ	3 AND rollback$	unrestricted	0	-
7	INZZ	flat ADJ transaction$	unrestricted	4	show titles
8	INZZ	7 AND rollback$	unrestricted	1	show titles

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ⌐ Thesaurus mapping

[   ] |whole document   ▼| *i*

Information added since: [   ] ⸱ or: |none   ▼| search
(YYYYMMDD)

⌐ Images

Select special search terms from the following list(s):
➔ Publication year 1950-
➔ Publication year 1898-1949
➔ Inspec thesaurus - browse headings *i*
➔ Inspec thesaurus - enter a term *i*
➔ Classification codes A: Physics, 0-1
➔ Classification codes A: Physics, 2-3

Google

flat transaction and nested transaction and en	Search	Advanced Search
		Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

___

Web Results **1 - 2** of **2** for **flat transaction and nested transaction and endtransaction and starttransaction**

[PDF] Workshop on Transactional Memory Workloads
File Format: PDF/Adobe Acrobat - View as HTML
Similarly, each other type of task is a single, **flat transaction** (payment, **.... transaction**, we
only need to **rollback** to the beginning of the **nested ...**
freya.cs.uiuc.edu/WTW/program.pdf - Similar pages

[PDF] Deliverable no. D4.1 Distribution of code and binaries over the ...
File Format: PDF/Adobe Acrobat - View as HTML
whenever a new version is available, or to **rollback** to a previous version ...... In contrast to
flat transactions, nested transactions can be seen as a tree ...
www.edos-project.org/xwiki/bin/download/Main/Deliverables/edos-d4.1.pdf - Similar pages

Try Google Desktop: search your computer as easily as you search the web.

___

flat transaction and nested transactic	Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

___

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

jux2

A Better Way to Search

nested transaction and starttransaction and endtr_{advanced search}

search

advanced search
preferences

Install the jux

Best Results   Compare Google's   Compare Yahoo's   Compare I
                        Results   Results   Result

Best results from all search engines:

Sponsored I

Nested Transaction And Starttransaction And Endtra
Shop for Nested Transaction And Starttransaction And Endtra, and deals on tons of other products at
MonsterMarketplace.
http://www.monstermarketplace.com

Nested Transaction And Starttransaction And Endtra in the Free Online Encyclopedia
Read about Nested Transaction And Starttransaction And Endtra in the free online encyclopedia and diction
Over 700,000 articles on any topic.
http://www.thefreedictionary.com

Nabble - iBATIS - Dev - [jira] Created: (IBATIS-462) **Nested** ...
... **nested**. Calling .**startTransaction**() from the same thread more than once, before calling **commit**() or
rollback ... **commit**, so we removed that **and** added clientDAOManager.**endTransaction**() 2) We removed
nested transaction.
http://www.nabble.com/-jira--Created%3A-... [**#1 on MSN**]

DerbySQLDataManager (Java Web Generator)
void: **endTransaction** (java.sql.Connection con) **commit transaction** ... **rollback transaction**: void:
setDriverClass (java ... void: **startTransaction** (java.sql.Connection ...
http://javawebgen.sourceforge.net/webGen... [**#2 on MSN**]

EbeanServer
NESTED | FIELD | CONSTR | METHOD ... Ebean.**startTransaction**(); try { // do ... finally { // if **commit** didn't
occur then **rollback** the **transaction** Ebean.**endTransaction**(
http://www.avaje.org/static/javadoc/pub/com/avaje/ebean/EbeanServer.html [**#3 on MSN**]

4. Java Developer Guide
... **nested**. Calling .**startTransaction**() from the same thread more than once, before calling **commit**() or
rollback ... **startTransaction**(), commitTransaction() **and endTransaction**() (vs. allowing an automatic
transaction ...
http://ibatisnet.sourceforge.net/DevGuide/ar01s04.html [**#4 on MSN**]

org.jboss.ejb.plugins.TxInterceptorCMT (Java2HTML)
... Always begin a **transaction** int oldTimeout = **startTransaction** ... We started the **transaction** for sure so '
commit or roll back **endTransaction** ... when **commit**() or **rollback**() // are ...
http://docs.jboss.com/jbossas/javadoc/4.... [**#5 on MSN**]

Custom Driver Development Kit for ODBC JDBC OLE DB .NET
Allow ip_**endTransaction** to return error message in ... **Nested transaction** should allow in the distributed
transaction ... Support **COMMIT, ROLLBACK** & AUTOCOMMITcommands from ISQL
http://www.datadirect.com/techres/oasdkproddoc/release-history/index.ssp [**#6 on MSN**]

OpenAccess 2.2 Incremental Release Notes
The **commit and rollback** functionality that was available previously ... should have block-only visibility. Nee
transaction ... writes nodes in both *I and *N sections. **Nested** library ...
http://www.si2.org/openeda.si2.org/si2_o... [**#7 on MSN**]

Data Access Meeting (2007-05-08) | The Dojo Toolkit
... save **and** revert on a store while a **transaction** is ... brian_skinner> yup <jared_j> **startTransaction**()
blahblahblah **endTransaction** ... they'll give me a patch to review **and commit** ...
http://dojotoolkit.org/book/developers-n... [**#8 on MSN**]

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Tuesday, November 13, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR	
☐	L31	(l26 or L27) and l16	9
☐	L30	(l26 or L27) and l11	3
☐	L29	(l26 or L27) and l7	3
☐	L28	(l26 or L27) and l17	0
☐	L27	707/204.ccls.	2189
☐	L26	707/200-201.ccls.	4713
☐	L25	(l21 or l22) and l20	1
☐	L24	(l21 or l22) and l17	1
☐	L23	(l21 or l22) and l14	1
☐	L22	WHITTINGHAM-KEITH.in.	3
☐	L21	BISCHOF-JOERG.in.	6
☐	L20	L16 and (committransaction same endtransaction)	1
☐	L19	L16 and (rollback same endtransaction)	2
☐	L18	L16 and (rollback same endtransaction same abort$)	0
☐	L17	L16 and (nesting same starttransaction same endtransaction)	1
☐	L16	L15 and commit	128
☐	L15	(rollback$ or (roll adj1 back$) or roll-back$) and (l7 or l8 or l12)	144
☐	L14	L12 and l8	1
☐	L13	L12 and l7	1
☐	L12	L11 and endtransaction	14
☐	L11	starttransaction	43
☐	L10	L9 and (end near transaction$)	739
☐	L9	(start near transaction$)	2312
☐	L8	(nested near transaction$)	329
☐	L7	(flat near transaction$)	89
		DB=PGPB,USPT,USOC; PLUR=NO; OP=OR	
☐	L6	L5 and (flat adj1 transact$)	9
☐	L5	L4 and (end$ adj1 transact$)	585
☐	L4	(start$ adj1 transact$)	1943
☐	L3	(flat adj1 transact$).ab.	2
☐	L2	(flat adj1 transact$).ti.	1

⌐   L1   (flat adj1 transaction).ti.   0

END OF SEARCH HISTORY